

**K962235 VITROS SPECIALTY DILUENT**Jun 26, 1996  
15 days to decisionK962235 · Product code: **JJE** · Chemistry  
Source: <https://www.510kdatabase.net/k962235/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Analyzer, Chemistry (photometric, Discrete), For Clinical Use (JJE)
Date received	Jun 11, 1996
Decision date	Jun 26, 1996
Days to decision	15 days
Third-party review	No
Summary / Statement	Statement

**APPLICANT**

---

Company	<b>Johnson &amp; Johnson Clinical Diagnostics, Inc.</b>
Location	Rochester, NY, US
Contact	BRADFORD M SPRING
510(k) history	33 submissions · 33 cleared · 1995-1998

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k962235/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated July 1, 2026