

**K963143 ELECSYS CALCHECK TROPONIN T**Aug 23, 1996  
10 days to decisionK963143 · Product code: **JJX** · Chemistry  
Source: <https://www.510kdatabase.net/k963143/>**SUBMISSION DETAILS**

---

|                       |   |
|-----------------------|---|
| Decision              | Substantially Equivalent (Cleared)                                |
| Submission type       | Traditional   |
| Device classification | Single (specified) Analyte Controls (assayed And Unassayed) (JJX) |
| Date received         | Aug 13, 1996  |
| Decision date         | Aug 23, 1996  |
| Days to decision      | 10 days   |
| Third-party review    | No  |
| Summary / Statement   | Summary   |

**APPLICANT**

---

|                |   |
|----------------|---|
| Company        | <b>Boehringer Mannheim Corp.</b>          |
| Location       | Mchenry, IL, US                           |
| Contact        | JOHN D STEVENS, RAC                       |
| 510(k) history | 340 submissions · 340 cleared · 1976-1999 |

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k963143/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated May 22, 2026