

K970666 LIQUICHECK URINE TOXICOLOGY NEGATIVE CONTROLMar 10, 1997
14 days to decisionK970666 · Product code: **DIF** · Chemistry
Source: <https://www.510kdatabase.net/k970666/>**SUBMISSION DETAILS**

| | |
|-----------------------|--------------------------------------|
| Decision | Substantially Equivalent (Cleared) |
| Submission type | Traditional |
| Device classification | Drug Mixture Control Materials (DIF) |
| Date received | Feb 24, 1997 |
| Decision date | Mar 10, 1997 |
| Days to decision | 14 days |
| Third-party review | No |
| Summary / Statement | Summary |

APPLICANT

| | |
|----------------|---|
| Company | Bio-Rad |
| Location | Mchenry, IL, US |
| Contact | ELIZABETH PLATT |
| Website | http://www.bio-rad.com |
| 510(k) history | 319 submissions · 319 cleared · 1976-2017 |

510k Database - www.510kdatabase.netDevice record: <https://www.510kdatabase.net/k970666/> Data sourced from FDA 510(k) public records (accessdata.fda.gov).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at accessdata.fda.gov. - Generated May 14, 2026