

**K982152 QUICK SCREEN BARBITURATE SCREENING TEST
MODELS 9020 AND 9021, QUICK SCREEN PRO MULTI DRUG
SCREENING TEST MODL 9152**Sep 21, 1998
95 days to decisionK982152 · Product code: **DIS** · Toxicology
Source: <https://www.510kdatabase.net/k982152/>**SUBMISSION DETAILS**

| | |
|-----------------------|---------------------------------------|
| Decision | Substantially Equivalent (Cleared) |
| Submission type | Traditional |
| Device classification | Enzyme Immunoassay, Barbiturate (DIS) |
| Date received | Jun 18, 1998 |
| Decision date | Sep 21, 1998 |
| Days to decision | 95 days |
| Third-party review | No |
| Summary / Statement | Summary |

APPLICANT

| | |
|----------------|---|
| Company | Phamatech |
| Location | San Diego, CA, US |
| Contact | CARL A MONGIOVI |
| 510(k) history | 47 submissions · 47 cleared · 1996-2004 |

510k Database - www.510kdatabase.netDevice record: <https://www.510kdatabase.net/k982152/> Data sourced from FDA 510(k) public records (accessdata.fda.gov).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at accessdata.fda.gov. - Generated June 28, 2026