

**K984325 ARCHITECT FERRITIN MASTERCHECK, MODEL
NUMBER 6C11-05**Dec 17, 1998
14 days to decisionK984325 · Product code: **JJY** · Immunology
Source: <https://www.510kdatabase.net/k984325/>**SUBMISSION DETAILS**

| | |
|-----------------------|---|
| Decision | Substantially Equivalent (Cleared) |
| Submission type | Traditional |
| Device classification | Multi-analyte Controls, All Kinds (assayed) (JJY) |
| Date received | Dec 3, 1998 |
| Decision date | Dec 17, 1998 |
| Days to decision | 14 days |
| Third-party review | No |
| Summary / Statement | Summary |

APPLICANT

| | |
|----------------|---|
| Company | Bio-Rad |
| Location | Mchenry, IL, US |
| Contact | ELIZABETH PLATT |
| Website | http://www.bio-rad.com |
| 510(k) history | 319 submissions · 319 cleared · 1976-2017 |

510k Database - www.510kdatabase.netDevice record: <https://www.510kdatabase.net/k984325/> Data sourced from FDA 510(k) public records (accessdata.fda.gov).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at accessdata.fda.gov. - Generated May 14, 2026